REQUEST FOR QUALIFICATIONS

MICHIGAN DEPARTMENT OF TRANSPORTATION University Region Design-Build Project

I-496 Reconstruction from Lansing Road easterly to the Grand River

Job Number: 210093

Control Section: 33044

Original Issue April 2, 2021



Table of Contents

1 INTI	RODUCTION	1
1.2	Project Goals	1
2 BAC	CKGROUND INFORMATION; RFQ PROCESS	3
2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 2.11	PROJECT DESCRIPTION; SCOPE OF WORK PROJECT SCHEDULE INQUIRIES AND GENERAL INFORMATION PREQUALIFICATION. MAJOR PARTICIPANTS. MDOT CONSULTANT/TECHNICAL SUPPORT CONFLICTS OF INTEREST CHANGES TO ORGANIZATIONAL STRUCTURE. FEDERAL REQUIREMENTS DISADVANTAGED BUSINESS ENTERPRISES.	
	NTENT OF STATEMENT OF QUALIFICATIONS	
3.1 3.3 3.3.1 3.3.2 3.3.3 3.4 3.5 3.6 3.6.1 3.6.2 3.6.3 3.7	INTRODUCTION (PASS/FAIL) QUALIFICATIONS OF TEAM (40 POINTS). Organization of Project Team	9 9 10 10 10 13 14 14 14 14
4 EVA	LUATION PROCESS	16
4.1 4.2 4.3 4.4 4.5	SOQ EVALUATION	
5 SOQ	SUBMITTAL REQUIREMENTS	
5.1 5.2	DUE DATE, TIME AND LOCATION	
6 PRO	CUREMENT PHASE 2	18
6.1 6.2 6.3 6.4	REQUEST FOR PROPOSALSRFP STRUCTUREPROPOSAL EVALUATIONS STIPENDS	

Attachments

ATTACHMENT A	LOCATION MAP	19
	PRELIMINARY REFERENCE INFORMATION DOCUMENTS	
ATTACHMENT C	CONFLICT OF INTEREST STATEMENT	24
ATTACHMENT D	EXAMPLE NOTICE OF SHORTLISTING RESULTS	25
ATTACHMENT E	SUBMITTER INTRODUCTION FORM	26

1 INTRODUCTION

The Michigan Department of Transportation (MDOT), University Region, is requesting Statements of Qualifications ("SOQs") from entities ("Submitters") interested in submitting proposals for the design and construction for reconstruction of I-496 from Lansing Road easterly to the bridges over the Grand River, structure rehabilitation, and improvements on W Saint Joseph Street and W Malcolm X Street (the "Project"). The Project will include an Alternate Pavement Bidding (APB) process. The Project will be funded with state and federal-aid dollars thereby requiring the Submitters adhere to all pertinent federal, state and local requirements. MDOT has concluded that harnessing private-sector creativity through a design-build approach is the best way to ensure cost-effective and expedited delivery of this Project to maintain corridor mobility, minimize environmental impacts, provide needed safety improvements and economic development benefits to the public.

1.1 Procurement Process

MDOT intends, through this procurement, to enter into a Contract that will result in cost-effective and expedited completion of all elements of the Project. The Contract will obligate the design-build contractor ("Design-Builder") to administer, design and construct the Project. MDOT will use a two-phase procurement process to select a Design-Builder to deliver the Project. This Request for Qualifications (RFQ) is issued as part of the first phase to solicit information, in the form of SOQ's, that MDOT will evaluate to determine which Submitters are the most qualified to successfully deliver the Project. MDOT intends to shortlist as few as three (3), but not more than five (5) Submitters that are eligible to receive the Request for Proposals (RFP), In the event that there are fewer than three (3) Submitters, MDOT may cancel the procurement or re-advertise the Project.

In the second phase, MDOT will issue a RFP for the Project to the shortlisted Submitters. Only the shortlisted Submitters will be eligible to submit technical and price proposals in response to the RFP for the Project. Each shortlisted Submitter that submits a proposal in response to the RFP is referred to herein as a "Proposer." MDOT intends to award a Contract for the Project to the Proposer offering the lowest responsive bid, to be determined as described in the RFP. Accelerated contract provisions are being considered.

The Contract will include a fixed price to complete the Project. The Contract will set forth the terms of the Design-Builder compensation and additional details of the Design-Builder's anticipated obligations and responsibilities in connection with the administration, design and construction of the Project.

Award of a Design-Build Contract will be conditioned upon finalization of a Design-Build Contract, and the satisfaction of other conditions that will be set forth in the RFP

1.2 Project Goals

The following goals have been established for the Project:

- A. Safety
 - i. Provide a safe Project area for the traveling public and workers during execution of the Project
 - ii. Provide a solution consistent with current MDOT, FHWA, and AASHTO practices, guidelines, policies, and standards.
 - iii. Maximize worker safety in trench and deep excavations locations.
- B. Mobility
 - i. Minimize impacts to I-496 traffic and the local roads adjacent to the Project.
 - ii. Minimize detour durations.
 - iii. Minimize impacts and maintain pedestrian movements along the service drives and detours.
 - iv. Minimize impacts and maintain access to CATA bus stops.
- C. Customer focus
 - i. Develop and implement construction noise and dust management and mitigation plans.
 - ii. Provide communication and outreach support to MDOT for stakeholder updates and engagement.

- D. Maximize Disadvantaged Business Enterprise ("DBE") participation
 - i. Develop and implement a DBE Engagement Plan that achieves the DBE goal for the Project.
- E. Quality
 - i. Provide a high-quality product that minimizes future maintenance.
- F. Budget
 - i. Complete the Project within MDOT's established budget.
- G. Schedule
 - i. Minimize construction duration.
- H. Utilities
 - i. Provide close coordination with affected utility companies to promote the successful and timely delivery of the project.
 - ii. Provide designs that minimize impacts to utilities and implement effective strategies to minimize conflicts.

2 BACKGROUND INFORMATION; RFQ PROCESS

2.1 Project Description; Scope of Work

The Project is located along I-496 in City of Lansing and Ingham County, and includes the design and construction for the following major items of work:

- Reconstruction of I-496 from Lansing Road easterly to the Grand River (approximately 2 miles), including all ramps.
- Extension of the eastbound entrance ramp from Lansing Road to the South Martin Luther King Jr Boulevard exit ramp.
- Extension of the westbound entrance ramp from South Martin Luther King Jr Boulevard to the Lansing Road exit ramp.
- Superstructure and substructure rehabilitation and Capital Preventive Maintenance on up to 17 bridges along the corridor.
- Milling and resurfacing, Detail 7 and 8 joints, and concrete pavement repairs of W Saint Joseph Street and W Malcolm X St from the ramps west of Martin Luther King Jr Blvd. to the ramps east of Grand Ave. (approximately 1.2 miles), including ADA ramp improvements.
- Drainage improvements including replacement of all I-496 drainage facilities. This includes the replacement of a large storm sewer trunkline up to 25 feet deep in the median of I-496 to its outlet points at the Grand River at the east end and a City of Lansing drain at the west end.
- Traffic and safety improvements including signing, pavement marking, and freeway lighting.
- ROW Fence replacement.

The 17 bridges are identified as follows:

- S02 of 33044 (Clare St over I-496)
- X01 of 33044 (Conrail over I-496)
- S05 of 33044 (NB Martin Luther King Blvd over I-496)
- S07 of 33044 (Ramp E over I-496 Ramp WB)*
- S06 of 33044 (Ramp H over I-496 Ramp EB)
- S08 of 33044 (Pine St over I-496)
- S09 of 33044 (Walnut St over I-496)
- S10 of 33044 (Capitol Ave over I-496)*
- S11 of 33044 (Washington Ave over I-496)
- S12 of 33044 (Grand Ave over I-496)*
- S13 of 33044 (Everett Dr over I-496)
- S14 of 33044 (SB Martin Luther King Blvd over I-496)
- S16 of 33044 (Hungerford St over I-496)*
- B04 of 33044 (WB I-496 over the Grand River, I-96 business loop, and River St)
- B04-7 of 33044 (WB Service Road over the Grand River, I-96 business loop, and River St)
- B03 of 33044 (EB I-496 over the Grand River, I-96 business loop, and River St)
- B03-7 of 33044 (EB Service Road the Grand River, I-96 business loop, and River St)

The Project scope encompasses 1 control section and 1 project number as follows:

JN 2100093

CS 33044 – I-496 from Lansing Road easterly to the Grand River.

Traffic is expected to be maintained with the following restrictions. The RFP will contain the final requirements for maintaining traffic.

• In general, shoulder closures will be permitted on I-496 at any time.

^{*}Denotes deck replacement anticipated. All other structures will receive Capital Preventive Maintenance (i.e. deck patching, joint replacement, epoxy overlay, etc.).

- A minimum of one (1) lane of traffic in each direction on I-496 will be required at all times, with the following exception:
 - o It is anticipated that I-496 will be able to be closed and detoured onto the eastbound and westbound service drives between the ramps west of Martin Luther King Jr Boulevard and the ramps east of Grand Avenue. Restrictions will be in place for the closure duration and concurrent closures.
- Ramp closures will be allowed with restrictions in place for closure duration and concurrent closures.
- All traffic shall be in their normal lanes during Seasonal Suspension. Work that does not impact traffic maybe allowed during the winter period. MDOT will not participate in extra costs associated with performing work during the winter.

Project information and data is included in attachments as follows:

- Attachment A Location Map
- Attachment B Preliminary Reference Information Documents (RID)

Reference Information Documents (RID) and reference to any website (including the Project Webpage) in this RFQ are provided for reference and background information only. MDOT has not determined whether the RID are without error, complete, pertinent, or of any other value to potential Design-Builders. MDOT makes no representation as to the accuracy, completeness, or pertinence of the RID or information in any referenced website (including the Project Webpage), and, in addition, shall not be responsible for any interpretations thereof or conclusions drawn therefrom. The information contained in the RID or set forth in any referenced website (including the Project Webpage) reflects information as of any date or time identified therein.

The RID provided are in draft format and are being provided for informational purposes only. The RID provided are subject to revision, correction, or alteration. MDOT may not provide notification of such changes. The RID provided will not be used or relied upon for bidding or estimating purposes, nor will they otherwise be considered contractual or binding in nature.

2.2 Project Schedule

MDOT anticipates carrying out the first phase of the procurement process contemplated hereby in accordance with the following schedule:

Issue RFQ April 2, 2021

Deadline for submitting RFQ questions April 23, 2021, 4:00 pm EDT SOQ due date April 30, 2021, 4:00 pm EDT

Evaluation of SOQs May 3-May 12, 2021

Anticipated Notification of shortlisted Submitters (Proposers) May 21, 2021

This schedule is subject to modification at the sole discretion of MDOT. Submitters will be notified of any change by an addendum to this RFQ. MDOT intends to issue the RFP shortly after selection of the shortlisted Proposers and to prosecute the procurement to a Contract award thereafter. MDOT anticipates awarding a Contract for the Project in October of 2021. The RFP will establish the Project schedule including open to traffic and completion dates.

2.3 Inquiries and General Information

Information regarding this RFQ, including addenda to the RFQ, questions and answers, and project specific information, will be posted at the following website: www.michigan.gov/ic. Click on "I-496 Reconstruction – University Region (DB)" under the 2021 Innovative Contracting Projects heading.

In order to facilitate receipt, processing and response, all questions regarding the Project shall be submitted by email to the MDOT Innovative Contracting Project Manager listed below by the deadline indicated in Section 2.2. The employees and representatives of the Submitter may not contact any MDOT staff (including members of the selection team) other than the MDOT Innovative Contracting Project Manager, or their designee, to obtain

information on the Project. Such contact may result in disqualification.

MDOT may make edits in addenda to this RFQ in response to clarification requests. Alternatively, MDOT may respond to those questions that MDOT deems to be material and not adequately addressed through potential addenda to the RFQ. MDOT will post any such responses and/or addenda to this RFQ on the MDOT Innovative Contracting website.

Proposers are responsible for monitoring the Project Webpage for information concerning this procurement.

MDOT Innovative Contracting Project Manager

Jonathon Stratz, P.E.

Michigan Department of Transportation, Innovative Contracting Unit

E-mail: StratzJ@michigan.gov

Addenda to the RFQ:

MDOT reserves the right to revise this RFQ at any time before the SOQ due date. Such revisions, if any, will be announced by addenda and posted on the MDOT Innovative Contracting website. Submitters are responsible for monitoring the MDOT Innovative Contracting website for information concerning this procurement as teams responding to this RFQ will be required to acknowledge in Attachment E, Submitter Introduction Form, that they have received and reviewed all Addenda posted thereon.

News Releases:

Any news releases pertaining to this RFQ or the services, study, data or project to which it relates will not be made without prior written MDOT approval, and then only in accordance with the explicit written instructions from MDOT.

Observers During Evaluation:

Submitters are advised that observers from federal or other agencies affected by the Project and local governmental entities, may observe the SOQ evaluation process and will have the opportunity to review the SOQs after the SOQ Due Date.

Disclosure:

All information in a Submitter's SOQ and any contract resulting from this RFQ are subject to disclosure under the provisions of the "Freedom of Information Act," 1976 Public Act No. 442, as amended, MCL 15.231, et seq.

2.4 Prequalification

The Submitter and their subcontractors must meet the following prequalification requirements:

Design-Builder Prequalification Requirements

Comb/Jt. 75000 Cb, Ea

or

Comb/Jt. 75000 Cb, Fa

or

Comb/Jt. 75000 B, Ea

or

Comb/Jt. 75000 B, Fa

or

Comb/Jt. 75000 Ea, Fa

Subclassifications Ea, Fa, and K will be required.

Lead Engineering Design Firms Prequalification Requirements

- Design Roadway: Complex
- Design Bridges

Anticipated Secondary Engineering Design Firms Prequalification Requirements (Firms that satisfy the requirements denoted with an asterisks (*) below shall be identified in the SOQ. Firms that satisfy the remainder of the requirements do not need to be identified in the SOQ)

- Design Bridges: Load Rating
- Design Geotechnical: Advanced*
- Design Hydraulics II*
- Design Traffic: Capacity & Geometric Analysis*
- Design Traffic: Pavement Markings
- Design Traffic: Signal
- Design Traffic: Signal Operations Complex*
- Design Traffic: Signing Freeway
- Design Traffic: Signing Non-Freeway
- Design Traffic: Work Zone Maintenance of Traffic*
- Design Traffic: Work Zone Mobility & Safety
- Design Utilities: Municipal
- Design Utilities: Roadway Lighting
- Surveying: Right of Way
- Surveying: Road Design
- Surveying: Structure

Additional design prequalification classifications will be listed in the Project's Request for Proposal.

2.5 Major Participants

As used herein, the term "Major Participant" means any of the following entities: all general partners or joint venture members of the Submitter; all individuals, persons, proprietorships, partnerships, limited liability partnerships, corporations, professional corporations, limited liability companies, business associations, or other legal entity however organized, holding (directly or indirectly) a 30% or greater interest in the Submitter; any subcontractor(s) that will perform work valued at 30% or more of the overall contract amount; the lead engineering/design firm(s); and each engineering/design sub-consultant that will perform 30% or more of the design work.

2.6 MDOT Consultant/Technical Support

MDOT has retained consultants to provide guidance in preparing and evaluating the RFP and advice on related contractual and technical matters for this design-build project. The following consultants are not eligible to participate on any Submitter's team: AECOM Great Lakes, Inc., Great Lakes Engineering Group, LLC., and RS Engineering, LLC.

2.7 Conflicts of Interest

The Proposer shall accept responsibility for being aware of the requirements of 23 Code of Federal Regulations

(CFR) 636.116 and include a full disclosure of all potential organizational conflicts of interest in the Proposal.

The Submitter shall complete a Conflict of Interest Statement (See Attachment C) certifying that they have read and understand MDOT's policy regarding conflict of interest and the CFR and that each Major Participant has done the same. The Submitter shall certify that they and each Major Participant have no conflict of interest with the Project. If there is a conflict with the Project, then the Submitter needs to describe the conflict.

The Submitter agrees that, if after award, an organizational conflict of interest is discovered, the Submitter shall make an immediate and full written disclosure to MDOT that includes a description of the action that the Submitter has taken or proposes to take to avoid or mitigate such conflicts. If an organizational conflict of interest is determined to exist, MDOT may, at its discretion, cancel the design-build contract for the Project. If the Submitter was aware of an organizational conflict of interest prior to the award of the contract and did not disclose the conflict to MDOT, MDOT may terminate the contract for default.

MDOT may disqualify a Submitter if any of its Major Participants belong to more than one submitting team.

2.8 Changes to Organizational Structure

All changes in Key Personnel or a Major Participant from a Submitter's SOQ to the Submitter's Proposal in response to the RFP shall be approved by MDOT in writing by submitting Form 5100G. Changes in Key Personnel or a Major Participant shall be approved by MDOT prior to submitting a proposal in response to the RFP. MDOT may revoke an awarded contract if any Key Personnel or Major Participant identified in the SOQ is removed, replaced or added without MDOT's prior written approval. To qualify for MDOT approval, the written request shall document that the proposed removal, replacement or addition will be equal to or better than the Key Personnel or Major Participant provided in the SOQ. MDOT will use the criteria specified in this RFQ to evaluate all requests. Form 5100G Changes in Key Personnel shall be submitted to MDOT's Innovative Contracting Project Manager as identified in Section 2.3 (Forms can be found at this website: https://mdotjboss.state.mi.us/webforms/WebFormsHome.htm).

2.9 Federal Requirements

Submitters are advised that the RFP will be drafted based on the assumption that the Project will be eligible for federal-aid funds. Therefore, the procurement documents and the Contract shall conform to requirements of applicable federal law, regulations and policies. MDOT anticipates that certain federal procurement requirements will apply, including but not limited to Equal Opportunity requirements (Title VI of the Civil Rights Act of 1964, as amended), requirements applicable to DBEs (Title 49 Code of Federal Regulations Part 26, as amended), Small Business requirements (United States Code Sections 631 et seq.), Buy America requirements (49 Code of Federal Regulations Part 661) and Davis-Bacon wage rates. MDOT reserves the right to modify the procurement process described herein to address any concerns, conditions or requirements of federal agencies, including the Federal Highway Administration ("FHWA"). Proposers shall be notified in writing via an addendum of any such modifications.

2.10 Equal Employment Opportunity

The Submitter will be required to follow both State of Michigan and Federal Equal Employment Opportunity (EEO) policies.

2.11 Disadvantaged Business Enterprises

It is the policy of MDOT that Disadvantaged Business Enterprises (DBEs), as defined in 49 CFR Part 26, and other small businesses shall have the maximum feasible opportunity to participate in contracts financed in whole or in part with public funds. Consistent with this policy, MDOT will not allow any person or business to be excluded from participation in, denied the benefits of, or otherwise be discriminated against in connection with the award and performance of any U.S. Department of Transportation (DOT)-assisted contract because of sex, race, religion, or national origin. MDOT has established a DBE program in accordance with regulations of the DOT, 49 CFR Part 26. In this regard, the Submitter will take all necessary and reasonable steps in accordance with 49 CFR Part 26 to ensure that DBEs have the maximum opportunity to compete for and perform the

contract. Additional DBE requirements will be set forth in the RFP.

MDOT anticipates that the Project will have a DBE goal of 5%.

3 CONTENT OF STATEMENT OF QUALIFICATIONS

This section describes specific information that shall be included in the SOQ. SOQs shall follow the outline of this Section 3.0. Submitters shall provide brief and concise information that addresses the requirements of the Project consistent with the evaluation criteria described in this RFQ. SOQs shall be submitted exclusively in the English language, inclusive of English units of measure and cost terms in United States of America dollar denominations.

3.1 Introduction (Pass/Fail)

The Submitter shall complete and sign the Submitter Introduction Form (see Attachment E). **The form certifies the truth and correctness of the contents of the SOQ.** This information will be used to define the Submitter team structure and composition, identify the Submitter and its designated contact, and will be reviewed on a pass/fail basis only and not as part of the qualitative assessment of the SOQ.

3.2 Understanding of Project (25 points)

Based on information available at the time of the RFQ, provide a synopsis demonstrating the Submitter's understanding of the physical description of the Project, probable impacts of the Project, potential issues and risks affecting the Project, and Submitter approach to delivering the Project and potential solutions to probable impacts and risks. Demonstrate an understanding of the Project goals discussed in Section 1.2 as the following areas are specifically addressed:

- A. Understanding of and identifying potential risks associated with the Project and mitigation efforts that will be needed to remove or reduce the risk to meet the Project goals;
- B. Understanding of Project scope;
- C. Understanding of the construction and schedule requirements needed for the Project;
- D. Understanding of the design requirements needed for the Project;
- E. Understanding of mobility and safety concerns;
- F. Understanding of impacts on the adjacent communities and traveling public;
- G. Understanding of utility coordination efforts and process for resolving conflicts;
- H. Understanding of drainage system constructability concerns;
- I. Understanding of environmental concerns for the Project; and
- J. Provide a draft of the Submitter's DBE Engagement Plan that will be implemented to achieve the DBE goal. The description should indicate specific good faith efforts and a process for reporting monthly to MDOT on specific activities.

3.3 Qualifications of Team (40 Points)

Provide the qualifications of the Submitter's team that includes both construction firm and design firm personnel. The information should address the following:

- A. Management and staff experience, capabilities and functions on projects of comparable scope and with similar conditions.;
- B. The strength and depth of experience of the Key Personnel for the Project listed in Submitter's response;
- C. Effective project management structure and interaction with MDOT or other entities;
- D. Effective utilization of personnel and experience of team members working together;
- E. Experience with expedited schedules and timely completion on comparable projects;
- F. Experience with on-budget completion of comparable projects;
- G. Experience with integrating design and construction activities;
- H. Company experience and qualifications that are relevant to the Project scope;
- I. Experience with utility coordination efforts in an urban corridor and conflict resolutions;

- J. Experience with cofferdams and deep storm sewer excavations.
- K. Experience with meeting NEPA and permit requirements and mitigation efforts required when environmentally sensitive areas are encountered.

3.3.1 Organization of Project Team

A narrative describing the Submitter's teaming arrangements, its management structure and design-build management approach. The narrative should include, at a minimum, a discussion of the following:

- A. How the Submitter team will operate, in light of the complexity and sequencing of the Project;
- B. The experience of the team members working together on other comparable projects and the results of that experience; and
- C. How the management structure will facilitate the management of the Project risks.

Describe the roles of all Key Personnel, Major Participants and identified subcontractors. The entity meeting each of the construction prequalification classifications and subclassifications listed in section 2.4 shall be identified. The Submitter may include a concrete paver and an HMA paver on their team, with the final paver (HMA or concrete) to be selected at bid time. Include what percent of the named role that the entity is expected to provide.

Provide an organizational chart(s) showing the flow of the "chain of command" with lines identifying participants who are responsible for major functions to be performed and their reporting relationships, in managing, designing and building the Project. The chart(s) must show the functional structure of the organization down to the design discipline leader or construction supervisor level and shall identify Key Personnel by name. Identify the Submitter and all known Major Participants in the chart(s).

Submitters may be unable to identify all subcontractors who are providing construction and design services (design services meeting the prequalification requirements listed in Section 2.4 shall be provided). If a Submitter is unable to provide the name of the subcontractors, they should include a plan of how they will obtain the firm including what qualifications they would expect the firm to provide.

3.3.2 Project Team Communication

The Submitter shall provide information that will show how the Submitter communicates within the Submitter organization, with MDOT, and with others during the execution of the Project. MDOT's desire is to have a strong single point of contact who controls the Project during all phases, including planning, design, and construction. Scoring will favor those Submitters who provide a clear and concise communication plan that incorporates and integrates all components of the Submitter's team (i.e. primary designers, sub-consultant designers, construction managers, construction field personnel, construction office personnel, material testing personnel, etc.) and inserts MDOT personnel and other appropriate stakeholders (i.e. local residents and businesses, public agencies) within that communication plan (i.e. process for design and construction submittals to MDOT, MDOT involvement in quality checkpoints during design and construction, incorporating MDOT review of design changes during construction, public information plan, etc.).

3.3.3 Key Personnel

3.3.3.1 Resumes of Key Personnel

Resumes of Key Personnel shall be provided as Appendix A – Resumes of Key Personnel to the SOQ. Resumes of Key Personnel shall be limited to two pages each and will not be counted towards the overall SOQ page limit. If an individual fills more than one position, only one resume is required. The listing below describes the minimum key personnel for the Project ("Key Personnel"), others may be added by the Submitter. Submitters may propose alternate plans to staff and manage the Project, which may be approved in MDOT's sole discretion. SOQ's with alternate staffing plans are required to have details of the key staff and their roles and responsibilities in a manner similar to the requirements listed below, including their responsibility on the Project and their authority over the design and/or construction operations.

Key Personnel

A. Project Manager

- B. Construction Manager
- C. Construction Quality Control Manager
- D. Design Manager
- E. Design Quality Control Manager
- F. Lead Road Engineer
- G. Lead Traffic Engineer
- H. Lead Maintenance of Traffic Engineer
- I. Lead Structures Engineer
- J. Lead Geotechnical Engineer
- K. Lead Hydraulics Engineer
- L. Lead Utility Engineer
- M. Environmental Compliance Manager
- N. Civil Rights Manager

Include the following items on each resume:

- A. Relevant licensing and registration.
- B. Years of experience performing similar work.
- C. Actual work examples on similar projects, including projects, project dates, duties performed and their percentage of time on the project.

3.3.3.2 Minimum Qualifications of Key Personnel

Key Personnel will be evaluated, in part, based on the extent they meet and/or exceed minimum qualifications including, but not limited to, relevant education, training, certification, and experience. The following provides minimum qualifications of the Key Personnel assigned to the Project. Any certifications required to meet the requirements of the RFQ shall be in place by the time the first notice to proceed is issued. One person may be proposed in more than one Key Personnel position, unless otherwise noted.

A. Project Manager:

The Submitter's Project Manager shall have a minimum of 5 years of recent experience managing the design and construction of highway construction projects with a similar scope of work, including Design-Build experience. The Submitter's Project Manager will be responsible for the overall design, construction, quality management and contract administration for the Project and will:

- i. Have full responsibility for the prosecution of the Work,
- ii. Act as agent and be a single point of contact in all matters on behalf of Submitter,
- iii. Be available (or the Approved designee will be available) at all times that Work is performed, and
- iv. Have authority to bind Submitter on all matters relating to the Project.

B. Construction Manager:

The Construction Manager shall have a minimum of 10 years of recent experience managing field operations on highway construction projects of similar scope. The Construction Manager shall be on site during all construction activities (or the Approved designee shall be on site). The Construction Manager shall work under the direct supervision of Submitter's Project Manager. The Construction Manager is responsible for ensuring that the Project is constructed in accordance with the Project requirements. The Construction Manager is responsible for managing the Design-Builder construction personnel, scheduling of the construction activities and administering all construction requirements of the Contract.

C. Construction Quality Control Manager:

The Construction Quality Control Manager is expected to have a minimum of 10 years of recent experience overseeing the inspection and materials testing on highway construction projects of similar scope.

It shall be the responsibility of the Construction Quality Control Manager to manage the Submitter's construction Quality Control functions and will:

- i. Not be assigned any other duties or responsibilities on the Project.
- ii. Visit the site as necessary to validate construction quality, respond to any quality issues, and report on that visit to the MDOT Project Manager.
- iii. Shall be independent of direct scheduling or production activities and reports directly to the Design-Build Contractor's management team.
- iv. Be available whenever any construction activities are being performed.
- v. Have the authority to stop any and all work that does not meet the standards, specifications or criteria established for the Project.

D. Design Manager:

The Design Manager is expected to have a minimum of 10 years of experience in managing the design of highway construction projects and shall be a licensed professional engineer in the State of Michigan now or by the award of the Project. The Design Manager is expected to have recent relevant project experience managing similar types of projects and has Design-Build experience. The Design Manager will be responsible for ensuring that the overall Project design is completed, and design criteria requirements are met. The Design Manager will:

- i. Be responsible for managing the Design-Builder's design personnel and administering all design requirements of the Contract.
- ii. Be available whenever design activities are being performed.
- iii. Work under the direct supervision of Submitter's Project Manager.

E. Design Quality Control Manager:

The Design Quality Control Manager shall have a minimum of 10 years of experience managing the design quality component of highway construction projects of similar scope and complexity and shall be a licensed Professional Engineer in the State of Michigan now or by the award of the Project. The Design Quality Control Manager will be responsible for design quality assurance for the project. The Design Quality Control Manager will:

- i. Be independent of design production and associated activities.
- ii. Work under the direct supervision of Design-Builder's management team.

F. Lead Road Engineer:

The Lead Road Engineer shall be experienced in roadway design related to roadway reconstruction and rehabilitation projects, including large roadway corridor projects of similar scope. This experience should be focused on urban and depressed freeway reconstruction. The Lead Road Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

G. Lead Traffic Engineer:

The Lead Traffic Engineer shall be experienced in signing design, pavement marking design, signal operation, and have significant recent experience in traffic engineering, traffic management, and capacity analysis on similar projects. This experience should be focused on urban and depressed freeways. The Lead Traffic Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

H. Lead Maintenance of Traffic Engineer:

The Lead Maintenance of Traffic Engineer shall be experienced in work zone safety, work zone traffic control design, and have significant recent experience in maintenance of traffic engineering and traffic management on similar projects. This experience should be focused on urban and depressed freeways. The Lead Maintenance of Traffic Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

I. Lead Structures Engineer:

The Lead Structures Engineer shall be experienced in structure design of the size and type required for this Project, including bridge Capital Preventative Maintenance (CPM). The Lead Structures Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

J. Lead Geotechnical Engineer:

The Lead Geotechnical Engineer shall be experienced in geotechnical engineering as required for this Project, including cofferdams, dewatering, and deep excavations. The Lead Geotechnical Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

K. Lead Hydraulics Engineer:

The Lead Hydraulic Engineer shall be experienced in hydraulic engineering as required for this Project, including storm sewer design, and in-line water detention/retention system design. The Lead Hydraulics Engineer shall be a registered professional engineer in the State of Michigan now or by the award of the Project.

L. Lead Utility Engineer:

The Lead Utility Engineer shall have recent relevant experience with coordinating and resolving utility conflicts on similar projects, including Design-Build projects. They shall demonstrate their ability to work with multiple utilities at once and how conflicts are identified, mitigated, and resolved.

M. Environmental Compliance Manager:

The Environmental Compliance Manager shall have recent experience on projects with similar environmental conditions. The Environmental Compliance Manager will be responsible for assuring compliance of all on-site activities with the requirements of all permits and regulatory requirements. The Environmental Compliance Manager shall report directly to MDOT and the Design-Builder's Project Manager simultaneously. The Environmental Compliance Manager shall have the authority to stop work that is not in compliance with environmental requirements.

N. Civil Rights Manager:

The Civil Rights Manager shall be experienced in the successful development, implementation, and monitoring of DBE Engagement plans to achieve a project's DBE goals and comply with equal employment opportunity laws. The Civil Rights Manager will be responsible for all aspects of the DBE Engagement Plan including monitoring the DBE participation with respect to the Project goal.

SOQs shall include an express written statement from the Submitter committing that the Key Personnel designated in the SOQ for the positions or roles described in this Section 3 shall be available to serve the role so identified in connection with the Project.

Proposers are advised that additional Key Personnel may be required to be identified at the RFP stage.

3.4 Submitter Experience (25 points)

Describe at least two but a maximum of four projects the Submitter has completed or participated in (if the Submitter is not yet existing or is newly formed, please explain) and at least two but a maximum of four projects each listed Major Participant has managed, designed and/or constructed. For projects in which several of the proposed Major Participants were involved, the Submitter may provide a single project description. Highlight experience relevant to the Project the Submitter/Major Participants have gained in the last 5-10 years. Cite projects with levels of scope comparable to that anticipated for the Project. Also consider citing projects where construction duration is minimized, design schedules were kept, and original design and construction budgets were not increased. Describe the experiences that could apply to this Project. The experience of the Submitter will account for 15 or more of the points out of the 25 points available in this category. The experience of the Major Participants will account for a maximum of 10 points out of the 25 points available in this category. If some Major Participants are unknown at the time SOQ's are submitted, the Submitter's plan (see Section 3.3.1) for obtaining the firm for this area of work will be considered.

Each project description should include the following information:

A. Name of the project and either the owner's contract number or state project number;

- B. Owner's project manager (i.e. the owner's construction manager for construction project or the owner's design manager for design projects) and their current telephone number;
- C. Dates of design, construction, and project management;
- D. Description of the work or services provided and percentage of the overall project actually performed;
- E. Description of scheduled completion deadlines and actual completion dates;
- F. Original design or construction budget and final design or construction cost.

MDOT may elect to use the information provided above as a reference check.

3.5 Past Performance of Designers (10 Points)

MDOT's objective in evaluating Past Performance is to incorporate quality of past performance of the Submitter's design firm(s) into the overall technical score. Past performance of the design firm(s) will be determined based on the Contracts Tracking System (CTRAK) at MDOT. If performance evaluations have not been performed, the selection team will contact previous clients and base scoring on feedback received. Past performance for the Submitter's construction company is reflected in the level the firm can bid and will not be part of this score.

3.6 Legal and Financial (Pass/Fail)

The information required in response to Section 3.6 shall be submitted as Appendix B – Legal and Financial. Information provided in response to these sections will not count towards the overall page limitation defined in Section 5.2. Information required by this section will be evaluated on a pass/fail basis.

3.6.1 Organizational Conflicts of Interest

Identify all relevant facts relating to past, present or planned interest(s) of the Submitter's team (including the Submitter, Major Participants, proposed consultants, contractors and subcontractors, and their respective chief executives, directors and key project personnel) which may result, or could be viewed as, an organizational conflict of interest in connection with this RFQ.

Disclose: (a) any current contractual relationships with MDOT (by identifying the MDOT contract number and project manager) that may result in, or could be viewed as a potential conflict of interest on this Project; (b) present or planned contractual or employment relationships with any current MDOT employee; and (c) any other circumstances that might be considered to create a financial interest in the contract for the Project by any current MDOT employee if the Submitter is awarded the contract. The foregoing is provided by way of example, and shall not constitute a limitation on the disclosure obligations.

For any fact, relationship or circumstance disclosed in response to this Section 3.6.1 identify steps that have been or will be taken to avoid, neutralize or mitigate any organizational conflicts of interest.

In cases where Major Participants on different Submitter teams belong to the same parent company, each Submitter shall describe how the participants would avoid conflicts of interest through the qualification and proposal phases of the Project.

The required information for Organizational Conflicts of Interest shall be submitted using the Conflict of Interest Statement in Attachment C.

3.6.2 Legal Structure

If the Submitter organization has already been formed but does not currently have paperwork on file with MDOT, provide complete copies of the organizational documents that allow, or would allow by the time of contract award, the Submitter and Major Participants to conduct business in the State of Michigan. MDOT will verify the legal structure of Submitters with paperwork currently on file with MDOT. If the Submitter organization has not yet been formed, provide a brief description of the proposed legal structure or draft copies of the underlying agreements.

3.6.3 Financial Viability

The Submitter shall supply form 1300 EZ with their SOQ, if one is not currently on file with MDOT to show they

will bid on the Project when it is advertised. Form 1300 EZ will be required to be resubmitted again before letting. Submitters do not need to provide MDOT Form 1381. MDOT will verify the financial viability of Submitters who have a current 1300EZ form on file with MDOT.

3.7 Project Questionnaire (Pass/Fail)

The information required in response to Section 3.7 shall be submitted as Appendix C – Project Questionnaire. Information provided in response to these sections will not count towards the overall page limitation defined in Section 5.2. Information required by this section will be evaluated on a pass/fail basis. Appendix C – Project Questionnaire shall be limited to 1-page.

- A. The City of Lansing's noise ordinance restricts the operation of any tools or equipment used in construction, drilling, or demolition work between 8:00 p.m. and 7:00 a.m of the following day on weekdays, or at any time on weekends or holidays. MDOT is planning to apply for a variance to the noise ordinance from the City of Lansing to allow weekend work from 8:00 a.m. until 5:00 p.m. The variance request will also allow night work for deck pours.
 - i. Please provide your input on whether longer work durations would be needed during the week.
 - ii. Please provide your input on whether longer work durations would be needed on weekends.
 - iii. Please provide any significant noise-generating work activities (e.g., pavement breaking, vibratory hammers to drive sheeting, pumps, etc.) that should be included in the noise variance request and when these likely would be performed.
 - iv. Please provide your input on what other activities may need to be performed at night beyond deck pours.

4 EVALUATION PROCESS

4.1 SOQ Evaluation

MDOT will initially review the SOQs for responsiveness to the requirements of this RFQ. The information in the SOQ will then be measured against the evaluation criteria described in Section 3. Submitter's SOQ response shall be complete based on the RFQ requirements. A non-responsive or partially non-responsive SOQ missing required information may result in a "fail".

4.2 SOQ Scoring

MDOT will evaluate all responsive SOQs and measure each Submitter's response against the Project goals and evaluation criteria set forth in this RFQ, resulting in a numerical score for each SOQ. The scoring will be distributed as described in Section 3 and summarized below:

- A. Understanding of Project (25 Points)
- B. Qualifications of Team (40 Points)
- C. Submitter Experience (25 Points)
- D. Past Performance of Designers (10 Points)

4.3 Determining Shortlisted Submitters

MDOT will total the scores for each responsive SOQ and prepare a ranked list of Submitters. MDOT intends to shortlist the most highly qualified Submitters.

MDOT reserves the right, in its sole discretion, to cancel this RFQ, issue a new RFQ, reject any or all SOQs, seek or obtain data from any source that has the potential to improve the understanding and evaluation of the responses to this RFQ, seek and receive clarifications to an SOQ and waive any deficiencies, irregularities or technicalities in considering and evaluating the SOQs.

This RFQ does not commit MDOT to enter into a contract or proceed with the procurement of the Project. MDOT assumes no obligations, responsibilities and liabilities, fiscal or otherwise, to reimburse all or part of the costs incurred by the parties responding to this RFQ. All such costs shall be borne solely by each Submitter.

4.4 Notification of Shortlisting

Shortlisted teams will have their Submitter's names and scores posted on MDOT's innovative contracting website, which will serve as the shortlisting announcement. Teams that are not shortlisted will only have their scores posted; however, each Submitter will receive their individual score sheet from MDOT via e-mail within five working days of the scores and shortlist results being posted. See Attachment D for an example of the shortlisting announcement.

4.5 Debriefing

Feedback may be provided via face to face meeting, virtual meeting, by phone or email at the discretion of the Project Manager however, it will not be provided until after the award of the contract.

5 SOQ SUBMITTAL REQUIREMENTS

The following section describes requirements that all Submitters shall satisfy in submitting SOQs. Failure of any Submitter to submit their SOQ as required in this RFQ may result in rejection of its SOQ.

5.1 Due Date, Time and Location

SOQs are due on the due date and time listed in Section 2.2. Any SOQ that fails to meet the deadline or delivery requirement will be rejected without opening, consideration or evaluation.

SOQs shall be delivered via email to the MDOT Innovative Contracting Project Manager identified in Section 2.3 and copied to the MDOT Project Manager for Design and Construction shown below. The SOQs shall have the subject line of "SOQ University Region – I-496 DB". MDOT will not accept SOQs by facsimile, or any other means of delivery.

MDOT Project Manager:

Miranda Spare, P.E.

Michigan Department of Transportation, Lansing TSC Operations

E-mail: SpareM@michigan.gov

5.2 Format

All SOQ's shall comply with the following:

- A. Provide a Portable Document File (PDF) that is bookmarked. The maximum file size allowable for emailing is 14 megabytes (MB). The subject of the email shall be "SOQ University Region I-496 DB".
- B. The SOQ shall not exceed 12 single-sided pages. The 12-page limit does not include submitter introduction (see Attachment E Submitter Introduction Form), key personnel resumes (Appendix A Resumes of Key Personnel), the required legal information (Appendix B Legal and Financial) defined in Section 3.6, and the project questionnaire (Appendix C Project Questionnaire) defined in Section 3.7. In the 1300EZ form, the references to "Bidder" shall mean "Submitter".
- C. Pages shall be 8 ½ inches by 11 inches.
- D. Font shall be a minimum of 12 point.
- E. All pages shall be numbered continuously throughout and in the format of "Page 1 of _", including resumes and legal understanding.
- F. Graphics are allowed within established page limits. Text used on graphics shall be legible and shall be used to describe the contents of the graphic. Any additional narrative text that does not directly relate to a graphic may be excluded from MDOT consideration at MDOT's sole discretion.

6 PROCUREMENT PHASE 2

This Section 6.0 is provided for informational purposes only so that each Submitter has information that describes the second phase of the Project procurement process, including a summary of certain anticipated RFP requirements. MDOT reserves the right to make changes to the following, and the shortlisted Submitters shall only rely on the actual RFP if and when it is issued. This Section 6.0 does not contain requirements related to the SOQ. The MDOT Project Manager responsible for the design and construction aspects of the Design-Build project will be:

MDOT Project Manager for Design and Construction:

Miranda Spare, P.E.

Michigan Department of Transportation, Lansing TSC Operations

E-mail: SpareM@michigan.gov

6.1 Request for Proposals

The Submitters remaining on the shortlist following Phase 1 of the procurement process will be eligible to move to Phase 2 and receive an RFP. While MDOT may make the RFP available to the public for informational purposes, only shortlisted Submitters will be allowed to submit a response to the RFP.

6.2 RFP Structure

The RFP will be structured as follows:

- A. Instructions to Proposers
- B. Contract Documents
 - i. Book 1 (Contract Terms and Conditions)
 - ii. Book 2 (Project Requirements)
 - iii. Book 3 (Standards)
- C. Reference Information Documents (RID)

6.3 Proposal Evaluations

MDOT has determined that award of the Project will be based on a qualified bid to obtain the most cost effective and efficient Proposer to deliver the Project. The bids will be evaluated by combining the construction cost, shared risk items, and road user delay impacts (if applicable) to achieve a low bid.


6.4 Stipends

MDOT will pay a \$120,000 stipend for responsive proposals submitted by Proposers (shortlisted Submitter). A stipend will not be paid to the successful Proposer. No stipends will be paid for submitting SOQs.

In consideration for paying the stipend, MDOT may use any ideas or information contained in the proposals in connection with any contract awarded for the Project or in connection with a subsequent procurement, without any obligation to pay any additional compensation to the unsuccessful shortlisted Proposers.

MDOT may require shortlisted firms to complete additional paperwork, such as MDOT Form 5100J, in order to process the payment of the stipend.

Attachment A Location Map



**	0			Ľ
Michigan Department of Transportation			=	Ľ
Michigan Department of Transportation	0	HORZ. (FT)	3000	ŀ
FILE:REO Attachment A dan				l

	DESIGN UNIT: SPARE	TSC: LANSING	DATE: 03	5/05/21
	CS: 33044	ATTACHMENT A	DRAWING	SHEET
0	JN: 210093	PROJECT LOCATION MAP		
		I-496 RECONSTRUCTION		

Attachment B Preliminary Reference Information Documents

INDEX OF REFERENCE INFORMATION DOCUMENTS

The RID documents can be found within the ProjectWise link: RID

Access to ProjectWise can be obtained by contacting Jonathon Stratz, MDOT Innovative Contracting Project Manager at StratzJ@michigan.gov. When requesting access, also carbon copy (cc) Miranda Spare, MDOT Project Manager at SpareM@michigan.gov.

RID AS-BUILTS

(Descriptions of as-builts are provided for information only and may not be entirely accurate)

As-Built 33044 - 037 WestEnd.pdf

Plans for original construction of I-496 from Hume Blvd to S Jenison Ave (1966)

As-Built 33044 - 057 058 059.pdf

Plans for original construction of I-496 from S Jenison Ave to the Red Cedar River (1968)

As-Built 33044 - 060 FwyLtg.pdf

Plans for freeway lighting on I-496 from W of WCL of Lansing, East to US-127/on Ramps at Cedar St. and on US-127 from I-496 N to S of Saginaw St. (1968)

As-Built 33044 - 09567 Slope.pdf

Plans for slope repair at various locations on I-496 and US-127 (1975)

As-Built 33044 - 13012 ConcPavtGroov.pdf

Plans for concrete pavement groove on I-496 from Capitol Ave easterly to the Trowbridge Rd interchange and latex resurfacing of 11 bridge decks on I-496 (1977)

As-Built 33044 - 21178 ServiceDrives.pdf

Plans for cold milling & bit resurfacing on St Joseph and Malcolm X St from Max Ave to S Butler Blvd (1983)

As-Built 33044 - 32519.pdf

Plans for joint repair, guardrail upgrading and ramp modification and freeway lighting along I-496 from I-69 to the Trowbridge Rd interchange (1997)

As-Let 33044 – Lansing Rd CCTW Site.pdf

Plans for ITS along I-496 (2018)

33044 - S05-1603730958766.pdf

Plans for original construction of bridge S05 (1966)

33044 - S05 S08 S14 30978-1603730908531.pdf

Plans for pin replacement and deck resurfacing of bridge S05 (1999)

33044 - S06-1603731088555.pdf

Plans for original construction of bridge S06 (1968)

33044 - S07-1603731279788.pdf

Plans for original construction of bridge S07 (1968)

33044 - S07 51397-1603731210451.pdf

Plans for deck resurfacing of bridge S07 (2000)

33044 - S08 30978-1603731523987.pdf

Plans for pin replacement and deck resurfacing of bridge S08 (1999)

S08-33044 Plans-1562677031699.pdf

General plan of structure S08 (1966)

33044 - S09-1603731766270.pdf

Plans for original construction of bridge S09 (1966)

33044 - S09 30978-1603731722308.pdf

Plans for pin replacement and deck resurfacing of bridge S09 (1999)

33044 - S10-1603731998283.pdf

Plans for original construction of bridge S10 (1966)

33044 - S10 30978-1603731955845.pdf

Plans for pin replacement and deck resurfacing of bridge S10 (1999)

33044 - S11-1603732256781.pdf

Plans for original construction of bridge S11 (1966)

33044 - S11 30978-1603732188693.pdf

Plans for pin replacement and deck resurfacing of bridge S11 (1999)

33044 - S12-1603732411220.pdf

Plans for original construction of bridge S12 (1966)

33044 - S12 30978-1603732353607.pdf

Plans for pin replacement and deck resurfacing of bridge S12 (1999)

33044 - S13-1603732594532.pdf

Plans for original construction of bridge S13 (1966)

33044 - S13 04166-1603732509349.pdf

Plans for chain link fence and framing of bridge S13 (1971)

33044 - S13 30978-1603732544961.pdf

Plans for pin replacement and deck resurfacing of bridge S13 (1999)

33044 - S14-1603732749929.pdf

Plans for original construction of bridge S14 (1966)

33044 - S14 30978-1603732700409.pdf

Plans for removal and construction of bridge S14 (1999)

33044 - S16-1603732921951.pdf

Plans for original construction of bridge S16 (1966)

33044 - S16 05455-1603732846649.pdf

Plans for bridge deck repair of bridge S16 (1973)

33044 - S16 51396-1603732877898.pdf

Plans for deck resurfacing of bridge S16 (2000)

33044 - X01-1603733183957.pdf

Plans for original construction of bridge X01 (1966)

33044 - X01 51397-1603733099055.pdf

Plans for existing structural steel and structure of bridge X01 (2000)

33044 -S02 Plans.pdf

Plans for original construction of bridge S02 (1966)

33045-B03-7 JN 51396 - 2000-1603915756299.pdf

Plans for original construction of bridge B03-7 (2000)

33045-B03-7 JN 109201 - 2012-1603915755262.pdf

Existing plan for site and structure of bridge B03-7 (2012)

33045-B04-7 JN 51396 - 2000-1603915902808.pdf

Plans for original construction of bridge B04-7 (2000)

33045-B04-7 JN 109201 - 2012-1603915896117.pdf

Existing plan for site and structure of bridge B04-7 (2012)

RID CONCEPT PLANS AND DATA

Concept Plans

D-210093 Concept Road Plan 2021-04-01.pdf

RID MISCELLANEOUS REFERENCE

ROW

210093 I-496 MDOT ROW Maps.pdf

Survey

S-210093 Survey-Package 2020-10-22.zip

S-130052 Survey-Package 2019-12-13.zip

Utility

U-210093 UtilityContacts 2021.xlsx

U-210093 UtilityConflictMatrix 2021-04-01.xls

U-210093 UtilityRollPlot 2021-04-01.pdf

Utility Company Responses:	AT&T
	ACD
	Fonorola
	MCI/Verizon
	Zayo
	Metro Fibernet
	Comcast
	Consumers Energy – Gas
	Lansing Board of Water & Light – Water
	Lansing Board of Water & Light – Electric
	Lansing Board of Water & Light – Steam
	Lansing Board of Water & Light – Streetlight
	Lansing Township
	Lansing City Public Service
	Lumen
	TurnKey
	U.S. Signal Corp.
	Rogers Telecom
	Western Tel-Com
	Fonorola Fiber
	Everstream
	Telecom

Date:

Attacl	hment C	Conflict of Interest Statement
		(Prime Contractor Name) certifies that it has read and understands the following:
and shall appear to CONTR 636.116 ownersh relations member have an CONTR other int during e prelimin of intere CONTR member	I not acqui to conflict in ACTOR at a "Affiliate hip. "Team ship with to es, and its A adversariat ACTOR, in the act phase hary engine est exists. In ACTOR, in the act phase hary engine est exists. In ACTOR, in	TRACTOR, its team members, and its Affiliates agree not to have any public or private interest, re directly or indirectly any such interest in connection with the Project, that would conflict or n any manner with the performance of the services under this Contract. The PRIME nd its team members are aware of and understand the requirements of 23 CFR, subsection e" means a corporate entity connected to the PRIME CONTRACTOR through common member" means any known entity the PRIME CONTRACTOR intends to be in a contractual of complete the work associated with the Project. The PRIME CONTRACTOR, its team affiliates agree not to provide any services to a construction contractor or any entity that may a linterest in the Project, for which it has provided services to the DEPARTMENT. The PRIME its team members, and its Affiliates agree to disclose to the DEPARTMENT, in writing, all the PRIME CONTRACTOR, its team members, or sub consultants have or contemplate having of the Project. The phases of the Project include, but are not limited to, planning, scoping, early tering, design, and construction. In all situations, the DEPARTMENT will decide if a conflict of the DEPARTMENT concludes that a conflict of interest exists, it will inform the PRIME its team members, and its Affiliates, in writing. If the PRIME CONTRACTOR, its team Affiliates choose to retain the interest constituting the conflict, the DEPARTMENT may ract for cause in accordance with the provisions stated in the Contract.
		E CONTRACTOR certifies that no conflict of interest or perceived conflict of interest exists
	with the su	abject Project for it, its Affiliates, and any Subconsultants.
	interest ex	E CONTRACTOR certifies that the potential conflict(s) of interest or perceived conflict(s) of ist with the subject Project for it, its Affiliates, and/or a subconsultant(s). A narrative of the d supporting documentation has been attached.
	has been p	E CONTRACTOR certifies that a potential conflict of interest or perceived conflict of interest resented to the DEPARTMENT and has been either mitigated or resolved. A determination the DEPARTMENT has been attached.
	m, and any	attachments, shall be certified by a person from the PRIME CONTRACTOR who has ity.
Certified	d by: Pr	inted Name:
	Si	gnature:
	Ti	tle:
	Co	ompany Name:

Attachment D Example Notice of Shortlisting Results



(DATE OF POSTING)

I-496 Reconstruction from Lansing Road easterly to the Grand River Design-Build Project MDOT Job No. 2100093

The following teams have been shortlisted for the I-496 Lansing Design-Build Project:

		Criterion #1	Criterion #2	Criterion #3	Criterion #4
		CIRCIION WI	CITCHION #2	CITCHION NO	Past
	Cumulative	Project	Team	Submitter	Performance of
Shortlisted Team	Score	Understanding	Qualifications	Experience	Designers
Name	(100 Pts. Max.)	(25 Pts. Max.)	(40 Pts. Max.)	(25 Pts. Max.)	(10 Pts. Max.)
Company 1					
Company 2					
Company 3					
Company 4					
Company 5					
		Criterion #1	Criterion #2	Criterion #3	Criterion #4
Non-Shortlisted					Past
Non-Shortlisted Scores	Cumulative	Criterion #1 Project	Criterion #2 Team	Criterion #3 Submitter	
	Cumulative Score				Past
Scores		Project	Team	Submitter	Past Performance of
Scores (Names are not	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided)	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided) (Intentionally	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided) (Intentionally Left Blank)	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided) (Intentionally Left Blank) (Intentionally	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided) (Intentionally Left Blank) (Intentionally Left Blank)	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers
Scores (Names are not provided) (Intentionally Left Blank) (Intentionally Left Blank) (Intentionally	Score	Project Understanding	Team Qualifications	Submitter Experience	Past Performance of Designers

Page 1 of 2

Attachment E Submitter Introduction Form

Submitter Organization Information: *If the Submitter is a joint venture, include information from each member of the joint venture.*

Business Name:	
Business Address:	
Business Type:	
(corporation, partnership,	
joint venture, etc.)	

Submitter's Point of Contact: This person will be the single point of contact on behalf of the Submitter organization, responsible for correspondence to and from the organization to MDOT. MDOT will send all Project-related communications to this contact person.

	1
Name:	
Address:	
Telephone number:	
E-mail Address:	

Major Participants:

Major Participant	Address of Head Office	Description of Role/Prequalification
Name/Contact		

Alternate Pavement Bidd	ling (APR)	Classification:			Page 2 of 2
Check only one.	g (111 <i>D)</i>	Ciussineuton.			1 age 2 012
☐ Concrete Paven	nent	☐ HMA Pavem	ent		Either Concrete Pavement or HMA Pavement
Acknowledgement of RF	Q Addend	a: Identify and acknowled	ge all RFQ a	ddenda	a provided by number and date
Addenda Number:		Addenda Date:		Ackn	owledgement: (check box)
not yet a legal entity, the k By signing below, the Sub Submitter Introduction For	nown Majo mitter certi	or Participants shall sign th	e form.	-	nt venture. If the Submitter is
Printed Name:	Signatu	re:	Date:		Organization/Role: